



BDD INC.

EST. 1952

Sonoran
2" Faux Wood Blinds

Retail Price List

Effective October 1st, 2018

Sonoran Faux Wood

Valance Specifications

Valance Dimensions

| | | | | |
|-------------------|-------|------|--------|--------|
| Sonoran Wood | Width | 1/2" | Height | 3 1/4" |
| Sonoran Faux Wood | Width | 1/2" | Height | 3 1/4" |

Valances are attached to headrail using high strength magnets as-standard, and metal valance clips are optional.

On valances with returns greater than 1", the returns will be attached to the valance using corner clips. On valances less than 1", the returns will be glued on.

Outside Mount

| | |
|----------------------|-----------------------|
| Width | Order width plus 1/2" |
| Standard Returns | 2 5/8" |
| Minimum Return Size | 1/2" |
| Bracket Installation | Wall Face |


Flush Mount

| | |
|----------------------|---|
| Width | Order width plus 1" |
| Standard Returns | Flush with back of valance |
| Bracket Installation | Recessed, the front edge of bracket mounted flush with wall face. |


Inside Mount

| | |
|----------------------|--|
| Width | Order width minus 1/8" |
| Standard Returns | None, valance is flush cut on the end. |
| Bracket Installation | Recessed, the front edge of bracket mounted 5/8" from the front of wall. |


Outside Mount Valance w/ Standard Returns



Flush Mount




Inside Mount



How Valances are Measured

A = Valance Width B = Return Length



BDD Sonoran Faux Wood Collection

Smooth and Sandblast Painted/Whites

| | | WIDTH TO | | | | | | | | | | | | |
|-----------|------|----------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| | | 24" | 30" | 36" | 42" | 48" | 54" | 60" | 66" | 72" | 78" | 84" | 90" | 96" |
| HEIGHT TO | 30" | 97 | 105 | 113 | 123 | 132 | 155 | 163 | 172 | 181 | 205 | 216 | 223 | 231 |
| | 36" | 101 | 109 | 118 | 130 | 140 | 163 | 172 | 183 | 193 | 216 | 229 | 237 | 245 |
| | 42" | 104 | 113 | 122 | 135 | 161 | 170 | 179 | 190 | 201 | 225 | 238 | 247 | 257 |
| | 48" | 108 | 117 | 128 | 141 | 168 | 179 | 188 | 200 | 212 | 237 | 251 | 260 | 271 |
| | 54" | 110 | 120 | 132 | 162 | 175 | 185 | 196 | 207 | 236 | 246 | 260 | 271 | 282 |
| | 60" | 114 | 126 | 137 | 168 | 181 | 193 | 205 | 218 | 246 | 258 | 273 | 285 | 297 |
| | 66" | 117 | 128 | 157 | 172 | 188 | 200 | 211 | 225 | 255 | 267 | 284 | 295 | 307 |
| | 72" | 120 | 133 | 163 | 179 | 194 | 207 | 220 | 235 | 266 | 279 | 297 | 310 | 321 |
| | 78" | 123 | 137 | 167 | 184 | 201 | 214 | 227 | 258 | 275 | 288 | 306 | 320 | 333 |
| | 84" | 127 | 157 | 172 | 190 | 207 | 222 | 236 | 268 | 285 | 299 | 319 | 333 | 347 |
| | 90" | 145 | 161 | 176 | 196 | 214 | 228 | 244 | 276 | 294 | 308 | 329 | 343 | 359 |
| | 96" | 149 | 165 | 180 | 201 | 219 | 235 | 250 | 284 | 302 | 317 | 338 | 354 | 369 |
| | 102" | 153 | 168 | 187 | 207 | 227 | 244 | 275 | 293 | 314 | 329 | 351 | 368 | 384 |
| 108" | 155 | 172 | 190 | 211 | 232 | 249 | 282 | 301 | 321 | 338 | 360 | 378 | 395 | |

*Two or more blinds on one headrail are recommended for sizes in shaded area. Price as two separate blinds.

The gap between multiple blinds on one headrail is 1/4". Cordless available on single shades up to 72".

| Features and Specifications | | Cloth Tape Colors | | | | | | | | |
|--|---------------------------------|--|---|--------|-------------------|--------|--------|---------|---------|---------|
| Slat Size | 2" Wide | 100 White | | | 349 Clay | | | | | |
| Headrail | 2 1/4"x2" High Profile Steel HR | 113 Duck White | | | 378 Cocoa | | | | | |
| Bottom Rail | Trapezoid | 293 Bordeaux | | | 504 Moss | | | | | |
| Valance | 3 1/4" Crown | 302 Taupe | | | 572 Forest | | | | | |
| Tilt Control | Cord Standard | 307 White Smoke | | | 685 Midnight Blue | | | | | |
| Brackets | Box, Metal | 323 Dark Beige | | | 899 Black | | | | | |
| 2/3 Blinds on 1 Headrail | No Additional Charge | 334 Pecan | | | | | | | | |
| Maximum Width | 96" O.B. | Ladder Count Chart | | | | | | | | |
| Maximum Length | 108" | O.B. Width | Qty. | | O.B. Width | Qty. | | | | |
| Minimum Width | 8" O.B. | 8" - 20" | 2 | | 45 1/8" - 67" | 5 | | | | |
| Minimum Length | 6" | 20 1/8" - 38" | 3 | | 67 1/8" - 81" | 6 | | | | |
| Maximum Valance Width | 96" O.B. | 38 1/8" - 45" | 4 | | 81 1/8" - 96" | 7 | | | | |
| Deductions | I.B.:Width-1/2", O.B.:None | Sonoran Battery Motorization Options: Tilt Only * | | | | | | | | |
| Blinds under 20" O.B. | Split Controls Only | Radio: | 12V Radio Motor w/ reloadable wand** | | | | | | | |
| Blinds under 12" O.B. | Center Tilt Only | | 12V Radio Motor w/ rechargeable wand† | | | | | | | |
| Camber /Bow Tolerance | 1/32" per 12" of Width | | Single Channel Remote (White) | | | | | | | |
| Hold Down Brackets | No Charge at Time of Order | | 15 Channel Remote (White) | | | | | | | |
| Extension Brackets | No Charge at Time of Order | | Single Channel Cut-In Wall Switch (White) | | | | | | | |
| Cordless*† | Min: 20" x 24" Max: 72" x 72" | | Five Channel Surface Mount Switch (White) | | | | | | | |
| Warranty | Limited Lifetime | | Motor Charger | | | | | | | |
| *Cordless not available for multiple shades on one headrail. | | * Net Pricing **Uses 8-AA Lithium Ion Batteries | | | | | | | | |
| † Cordless not available with privacy (routeless) | | † Motor charger required | | | | | | | | |
| Retail Surcharge Options | | | | | | | | | | |
| Cut-out--per side | \$15 | Cloth Tape Ladders | add 15% | | | | | | | |
| Cut-out--center | \$20 | Privacy with no route holes | add 10% | | | | | | | |
| Striping charge | \$25 first color | Cordless - up to 48" | \$35 | | | | | | | |
| | \$10 each additional | Cordless - 48-1/8" - 72" | \$70 | | | | | | | |
| Stacking Height Chart | | | | | | | | | | |
| HEIGHT | 36" | 42" | 48" | 54" | 60" | 66" | 72" | 84" | 96" | 108" |
| STACKING HEIGHT | 5 7/8" | 6 3/8" | 7 1/4" | 7 3/4" | 8 1/4" | 8 3/4" | 9 1/2" | 10 5/8" | 11 3/4" | 12 7/8" |

BDD Sonoran Faux Wood Collection Stains

WIDTH TO

| | 24" | 30" | 36" | 42" | 48" | 54" | 60" | 66" | 72" | 78" | 84" | 90" | 96" |
|------|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|-----|
| 30" | 102 | 111 | 120 | 132 | 144 | 167 | 176 | 188 | 198 | 223 | 236 | 244 | 253 |
| 36" | 108 | 117 | 128 | 141 | 153 | 179 | 189 | 201 | 212 | 238 | 253 | 262 | 272 |
| 42" | 110 | 122 | 133 | 148 | 176 | 187 | 198 | 211 | 224 | 250 | 266 | 276 | 288 |
| 48" | 115 | 128 | 141 | 157 | 185 | 198 | 210 | 224 | 238 | 266 | 282 | 294 | 306 |
| 54" | 119 | 132 | 146 | 178 | 193 | 206 | 219 | 235 | 264 | 277 | 295 | 308 | 321 |
| 60" | 124 | 139 | 154 | 187 | 203 | 218 | 232 | 247 | 280 | 294 | 312 | 327 | 341 |
| 66" | 128 | 144 | 175 | 193 | 211 | 225 | 241 | 258 | 290 | 306 | 325 | 339 | 355 |
| 72" | 133 | 149 | 181 | 202 | 220 | 237 | 253 | 271 | 304 | 321 | 342 | 358 | 374 |
| 78" | 137 | 154 | 188 | 209 | 228 | 245 | 262 | 297 | 316 | 333 | 355 | 372 | 389 |
| 84" | 143 | 175 | 194 | 216 | 238 | 257 | 275 | 310 | 330 | 349 | 372 | 390 | 408 |
| 90" | 161 | 180 | 200 | 223 | 245 | 264 | 284 | 320 | 342 | 361 | 385 | 404 | 424 |
| 96" | 165 | 185 | 206 | 229 | 253 | 273 | 293 | 330 | 352 | 373 | 398 | 417 | 438 |
| 102" | 170 | 190 | 212 | 238 | 263 | 284 | 320 | 343 | 368 | 389 | 415 | 437 | 457 |
| 108" | 174 | 196 | 219 | 245 | 269 | 292 | 329 | 354 | 378 | 400 | 428 | 450 | 472 |

*Two or more blinds on one headrail are recommended for sizes in shaded area. Price as two separate blinds.
The gap between multiple blinds on one headrail is 1/4". Cordless available on single shades up to 72".

| Features and Specifications | | Cloth Tape Colors | | | | | | | | |
|--|---------------------------------|---|---|---------------|--------|--------|--------|---------|---------|---------|
| Slat Size | 2" Wide | 100 White | 349 Clay | | | | | | | |
| Headrail | 2 1/4"x2" High Profile Steel HR | 113 Duck White | 378 Cocoa | | | | | | | |
| Bottom Rail | Trapezoid | 293 Bordeaux | 504 Moss | | | | | | | |
| Valance | 3 1/4" Crown | 302 Taupe | 572 Forest | | | | | | | |
| Tilt Control | Cord Standard | 307 White Smoke | 685 Midnight Blue | | | | | | | |
| Brackets | Box, Metal | 323 Dark Beige | 899 Black | | | | | | | |
| 2/3 Blinds on 1 Headrail | No Additional Charge | 334 Pecan | | | | | | | | |
| Maximum Width | 96" O.B. | Ladder Count Chart | | | | | | | | |
| Maximum Length | 108" | O.B. Width | Qty. | O.B. Width | Qty. | | | | | |
| Minimum Width | 8" O.B. | 8" - 20" | 2 | 45 1/8" - 67" | 5 | | | | | |
| Minimum Length | 6" | 20 1/8" - 38" | 3 | 67 1/8" - 81" | 6 | | | | | |
| Maximum Valance Width | 96" O.B. | 38 1/8" - 45" | 4 | 81 1/8" - 96" | 7 | | | | | |
| Deductions | I.B.:Width-1/2", O.B.:None | Sonoran Battery Motorization Options: Tilt Only * | | | | | | | | |
| Blinds under 20" O.B. | Split Controls Only | Radio: | 12V Radio Motor w/ reloadable wand** | | | | | | | |
| Blinds under 12" O.B. | Center Tilt Only | | 12V Radio Motor w/ rechargeable wand† | | | | | | | |
| Camber /Bow Tolerance | 1/32" per 12" of Width | | Single Channel Remote (White) | | | | | | | |
| Hold Down Brackets | No Charge at Time of Order | | 15 Channel Remote (White) | | | | | | | |
| Extension Brackets | No Charge at Time of Order | | Single Channel Cut-In Wall Switch (White) | | | | | | | |
| Cordless*† | Min: 20" x 24" Max: 72" x 72" | | Five Channel Surface Mount Switch (White) | | | | | | | |
| Warranty | Limited Lifetime | | Motor Charger | | | | | | | |
| *Cordless not available for multiple shades on one headrail. | | * Net Pricing **Uses 8-AA Lithium Ion Batteries | | | | | | | | |
| † Cordless not available with privacy (routeless) | | † Motor charger required | | | | | | | | |
| Retail Surcharge Options | | | | | | | | | | |
| Cut-out--per side | \$15 | Cloth Tape Ladders | add 15% | | | | | | | |
| Cut-out--center | \$20 | Privacy with no route holes | add 10% | | | | | | | |
| Striping charge | \$25 first color | Cordless - up to 48" | \$35 | | | | | | | |
| | \$10 each additional | Cordless - 48-1/8" - 72" | \$70 | | | | | | | |
| Stacking Height Chart | | | | | | | | | | |
| HEIGHT | 36" | 42" | 48" | 54" | 60" | 66" | 72" | 84" | 96" | 108" |
| STACKING HEIGHT | 5 7/8" | 6 3/8" | 7 1/4" | 7 3/4" | 8 1/4" | 8 3/4" | 9 1/2" | 10 5/8" | 11 3/4" | 12 7/8" |